







Name	Picture	size(mm)	Machine parameter
<p>Tube cutting machine</p>		<p>Host: length 1250mm, width 1600mm, height 1610mm</p>	<ol style="list-style-type: none"> 1. Servo control 2. Processing range: 16 # -32# 4. Processing efficiency: about 1000 pieces/hour (25 #). 5. System: PLC 6. Total power 11 kW (380V)
<p>Peeling machine</p>		<p>1570 in length, 800 in width, and 1540 in height</p>	<ol style="list-style-type: none"> 1. Motor power: 4KW (380V) 2. Processing range: 16 # -40# 4. Processing efficiency: \geq 1000 pieces/hour (25 #) 4. System: PLC
<p>Double head chamber</p>		<p>Length 1300mm, width 1300mm, height 1600mm</p>	<ol style="list-style-type: none"> 1. Total motor power: 5.9KW, (380v) 2. Processing scope; 16 # -32# 3. Processing efficiency: 1000 pieces/hour (25 #) <p>servo control</p>
<p>Cnc u drilling machine</p>		<p>Length 1600mm, width 1500mm, height 1500mm</p>	<ol style="list-style-type: none"> 1. Spindle: BT40 mechanical spindle with cutter cylinder 2. Spindle travel: 35 linear guide rail, 32 ball screw 3. Spindle motor: 7.5Kw servo spindle motor 4. Spindle travel motor: 12Nm servo motor 5. Processing drilling diameter: 15-30mm 6. Processing workpiece length: 40-100mm 7. Control system: Delta PLC, touch screen 8. Hydraulic station motor: 1.5Kw 9. Air pressure required for cutter cylinder: 0.6MPa

<p>Single head feeding machine</p>		<p>1440mm long, 1470mm wide, and 1370mm high</p>	<ol style="list-style-type: none"> 1. Motor power: 120W (380V) 2. Processing range: 16 # -32#
<p>Single head drilling machine</p>		<p>1630mm long, 560mm wide, and 1630mm high</p>	<ol style="list-style-type: none"> 1.1. Processing range: 32 # -40# 2.2. Processing efficiency: \geq 400 pieces/hour (25 #) 3.3. System: PLC 4. Total power: 5.5KW
<p>Double head feeding machine</p>		<p>1440mm long, 1470mm wide, and 1370mm high</p>	<ol style="list-style-type: none"> 1. Motor power: 120W (380V) 2. Processing range: 16 # -32#
<p>Double head drilling machine</p>		<p>Length 1990, width 880, height 1860</p>	<ol style="list-style-type: none"> 1. Processing range: 16 # -32# 2. Processing efficiency: \geq 600 pieces/hour (25 #) 2. System: PLC 3. Total power: 5.5KW
<p>Printer packing machine</p>		<p>1600mm long, 1250mm wide, 1350mm high</p>	<ol style="list-style-type: none"> 1. Processing range: 16 # -40# 2. Processing efficiency greater than or equal to 1600 pieces/hour (25 #) <p>Motor power: 2.2 kW</p>

Convey machine		1250 in length, 510 in width, and 1270 in height	Total power: 120W (380V)
Knife grinder		450 in length, 500 in width, and 950 in height	power: 500W



序号	品名
1	切管机进料架
2	切管机
3	上料机
4	扒皮机
5	上料机
6	双头攻丝机
7	上料机
8	双头攻丝机
9	上料机
10	压字装袋机